Ashford Place Townhome Association, Inc.

Thank you for your purchase of a Lennar Home! Below you will find the Design Guidelines for the Ashford Place Townhome Association, Inc. ("Association"). The Association's governing documents require that any modifications to the exterior of your home be approved by the Association.

These Design Guidelines are provided to you to help establish what modifications would generally be approved, however, each modification is reviewed on a case-by-case basis and based on your specific Lot. These guidelines are not intended to provide any preapproval and are subject to change.

All approvals are subject to the following conditions:

- 1. The change/improvement must not impede the flow of water in any drainage easement or swale.
- 2. For any portion construction in any easement, owner/applicant must hold the Association harmless for any costs associated with repair/replacement of change/improvement should the association or local municipality or local utility need to enter such easement.

At the end of this document you will find the Association's Request for Modification Form ("Form"). This form should be completed for any modification and returned to your Association Manager with Fieldstone Association Management. The completed form can be sent to:

Fieldstone Association Management Kelly Youngblood kellyyoungblood@fieldstonerp.com 2675 Paces Ferry Road SE Suite #125 Atlanta, Georgia 30339 Fax: 678-819-5366

A completed Form must be submitted for all modifications. THE VERBAL APPROVAL OF ANY SALES AGENT, LENNAR EMPLOYEE, OR ASSOCIATION REPRESENTATIVE IS NOT SUFFICIENT. ALL MODIFICATION APPROVALS MUST BE IN WRITING.


When plans are required, they must be submitted with the Form. A Form is attached to these Standards. Additional Forms are available from Fieldstone Association Management.

DESIGN GUIDELINES

DESIGN GUIDELINE 1

Fences

- Lots 1-26 are front-entry which will allow for a backyard that can be fenced.
 Units 27-39 are rear-entry so no backyard; no fence
- Chain link fences or chain link dog runs are not permitted.
- The following types of fences may be approved for installation:
 - 1. Six-foot privacy fence: Straight Topped Wrought iron
- The maximum span between posts shall be ten (10) feet. The minimum post size shall be 4 X 4 inches and must have two 2 X 8 inch rails or three 2 X 6 inch rails per section.
- Generally, fences shall not be located closer to any street than 10' in front of the rear edge of the home.
- On corner lots, the fence shall not be closer to any side street than the building line of the lot.
- All fence posts for all fences must be set in concrete.
- Please note: Easements and buried utility lines may be present. Homeowner is responsible for verifying and completing installs at their own risk.





DESIGN GUIDELINE 2

Exterior Decorative Objects, Front Porch Flower Pots, Lighting, etc.

- A Form must be submitted for all exterior decorative objects, both natural and manmade, including, but not limited to, items such as bird baths, wagon wheels, sculptures/statuary, fountains, pools, antennas, flower pots, free-standing poles of any type, flag poles, and items attached to approved structures.
- Landscape lighting should not exceed twelve (12) inches in height
- The number of landscape lights should not exceed twelve (12)
- The total wattage of landscape lighting should not exceed 100 watts, all lights are white or clear, non-glare, and located so as to cause minimal visual impact on adjacent properties and streets.
- Front doors and front entry area decorations must be tasteful and in keeping with the style and colors of the house. Plants and flowers in pots must always be neat and healthy. Neatly maintained front porch flower-pots (maximum of four (4)) that blend with the exterior color of the house, containing evergreens/flowers do not require the submission of a Form.
- Objects will be evaluated on criteria such as location, proportion, color, and appropriateness to the surrounding environment.
- Holiday decorations and lighting may be installed in a reasonable manner for the various recognized holidays. Holiday decorations and lighting may be in use until thirty (30) days after the Holiday.

DESIGN GUIDELINE 3

Garden Plots

- All garden plots should be located behind the rear of the house
- The size of the plot is generally limited to 150 square feet or ½ of the rear yard, whichever is smaller.
- The maximum height of plants is less than four (4) feet at full growth.
- Garden plots for homes set on lots at angles and homes on corner lots will be considered on an individual basis

DESIGN GUIDELINE 4

Play Equipment

- Play equipment should be installed within the extended right and left sides of the house in the rear yard.
- Play equipment should not exceed fifteen (15) feet in height and will have a minimum visual impact on adjacent properties.
- All play equipment, including, but not limited to, swing sets, slides, seesaws, jungle gyms, etc., exclusive of wearing surfaces (slide poles, climbing rungs, swing seats, etc.) will generally be required to blend into the surrounding environment through the use of earthen colors comparable to dark green or brown.

• Play houses and tree houses must be located where they will have a minimum visual impact on adjacent properties. In most cases, material used must match existing materials of the home, and the tree house/play house may not be larger than 100 square feet.

DESIGN GUIDELINE 5

Basketball Goals

- Basketball Goal backboards should be perpendicular to the primary street on which the house is located.
- The backboard should be white, beige, light gray, or clear.
- The backboard post should be painted black.
- Basketball goals may not be attached to the house.
- Portable goals may not be maintained for periods of more than twenty-four (24) hours in the street or at the curb.

DESIGN GUIDELINE 6

Private Pools

- A Form is not required to be submitted for children's portable wading pools (those that can be emptied after use) that do not exceed eighteen (18) inches in depth and whose surface area should not exceed thirty-six (36) square feet.
- Pools exceeding thirty-six (36) square feet located above the ground are not allowed.
- In-ground pools must have adequate fencing. Generally, the maximum allowable pool area is 1,000 square feet.
- Glaring light sources that have a visual impact on neighboring lots will not be permitted.
- Spas and hot tubs must be screened from adjacent properties and streets.

DESIGN GUIDELINE 7

Patios and Walkways

- A patio should not extend beyond the left and right sides of the house and should not extend to within ten (10) feet of the side property lines nor further than twenty (20) feet from the rear of the home
- A patio should not exceed six (6) inches above the ground at any point.
- A walkway should not extend beyond the left and right sides of the house and should not extend to within ten (10) feet of side property lines, and
- A walkway should not exceed four (4) inches above the ground at any point.

DESIGN GUIDELINE 8

Exterior Landscaping

- Landscaping should relate to the existing terrain and natural features of the lot, utilizing plant materials native to the Southeastern United States. The amount and character of the landscaping must conform to the precedent set in the surrounding neighborhood.
- All landscape beds must be covered with natural pine straw, chopped pine bark mulch, or wood shavings.
- Rocks are not permitted as landscape bed ground cover.
- The preferred landscape bed edging is a neat four to six (4" 6") inch deep trench. Other edging, if used, shall not exceed three (3") inches above the turf height and be of a uniform type.
- Outdoor storage of garden tools and hoses must be screened from view and kept behind shrubs. Any tools or items stored under a deck or porch must also be screened from view.

DESIGN GUIDELINE 9

Decks

- Generally, the deck may not extend beyond the right and left sides of the home.
- Materials must be cedar, cypress, or #2 or better pressure treated wood.
- Color must be natural, stained, or painted to match the exterior of the home.
- Vertical supports for wood decks must be a minimum of four by six (4" X 6") inch wood posts or painted metal poles, boxed in to give the appearance of wood columns. Owners are advised that a building permit may be required for deck construction.

DESIGN GUIDELINE 10

Exterior Building Alterations

- Repainting of the house or trim should not require a Form if the color(s) are not changed.
- The original architectural character or theme of any home must be consistent for all components of the home. Once the character is established, whether it is traditional, contemporary, etc., no change may alter that character.
- A paint color change requires that the following information be submitted along with the Form:
 - 1. A paint sample or picture of the paint color used in or approved for this or another Lennar Neighborhood in the same County. The address of the home and neighborhood where the color has been approved must be identified.
 - 2. Area of home to be re-painted.
 - 3. Photograph of your home and homes on either side (in most cases, adjacent homes cannot be painted the same color).
- Storm windows and doors must be made of anodized bronze or anodized aluminum with baked enamel finish compatible with the primary and trim colors of the house.
- Plastic or metal storage sheds or other structures are not allowed.

Ashford Place Townhome Association, Inc - REQUEST FOR MODIFICATION REVIEW

PER ARTICLE 6.2, THIS APPROVAL MAY TAKE UP TO 45 DAYS FOR APPROVAL AFTER ALL REQUIRED INFORMATION IS RECEIVED

Name	Date			
Address	E-Mail			
City/State/Zip	Office Phone			
Community	Lot/Block			
quickly. Requests mus applicable), detailed des	nitectural Control/Covenants Committee with all information necessary to evaluate the request thoroughly and at include, without limitation, the following information: site plan (including all dimensions), color chips (if acription of request, list of materials, pictures (if applicable), and any other information as specifically required the Design Guidelines approved for the community.			
Description of Modificat	ion Requested:			
Estimated Start Date	Estimated Completion Date			
considered by the Coven	djacent Homeowners (all homeowners sharing common boundary line): This acknowledgement will be lants Committee but will not be binding upon the Covenants Committee. No application will be considered unless, or the Applicant Homeowner has made a reasonable effort, in the sole discretion of the Board, to have this section			
Signature	Lot () In Favor Of () Not In Favor Of () Lot () In Favor Of () Not In Favor Of () Lot () In Favor Of () Not In Favor Of ()			
	t common headings below, all the items listed must be submitted. Please refer to the Covenants for other required for modifications such as detached structures, outdoor play equipment, pools, etc.: way Lot survey denoting location List of materials to be used			
Exterior Deco	rative Objects, Front Porch Flower Pots, Lighting, Etc.			
Exterior Deco	Description of object			
	Location and picture or sketch of object			
Garden Plot				
	Location and size of garden			
	Type of plants to be grown			
Play Houses				
<u> </u>	Location (must have minimum visual impact on adjacent properties)			
	Size and Sketch			
	Materials (in most cases, material used should match existing materials of home)			
Duimata Da al				
Private Pool	Picture or drawing of pool type.			
	Dimensions (maximum size 1,000 square ft.)			
	Color (must be blue or white).			
	Site plan denoting location.			
	Type of lighting source.			
	Landscape plan			
<u>Fencing</u>	Picture or drawing of fence type.			
	ricture of drawing of fence type.			

		` .	exceed 6 feet; maximu	ım span between posts shall be ten feet).	
		Color Site plan (Plat) denoting location			
		Crossbeam structure must not be visible	from any street (must	face inside toward yard).	
		Materials	,	• ,	
		All nails, screws or fasteners shall be all	uminum or hot-dipped	galvanized.	
		All posts shall be anchored in concrete.			
	Exterior Land	Iscaping and Maintenance Landscape plan denoting plant material	and location		
	Deck/Porch				
		Picture or Drawing (deck must match a	ny existing deck).		
		Dimensions Color (must be natural or painted to ma	tch exterior color of ho	ame)	
		Site plan denoting location (in most case			
		Materials (must be cedar, cypress or No			
	Exterior Build	ling Alterations		,	
	Paint (Submit	only if other than original paint color)			
		Color			
		Area of home to be repainted.	n either eide (in most c	ases adjacent homes cannot be painted the sar	ne
		colors).	ii citiici side (iii iiiosi e	ases adjacent nomes cannot be painted the sar	ш
	Storm Window				
		Picture or drawing of all windows/doors	s on which storm wind	ows/doors will be installed.	
		Picture depicting style of storm window			
	B '11' A 11'	· ·	denamel and color mus	st be compatible with primary and trim colors)).
	Building Addi	Location of addition and size of lot.			
		Size, color, and detailed architectural dr	awing of addition		
		Materials (material used must match ex		ne).	
		Building permit (if required).	C		
changes county 1	I by me. I repress shall be made in regulations.	sent and warrant that the requested change a strict conformance with the Design Guidel	es strictly conform to the lines. I understand that	approval of the Covenants Committee has be the community Design Guidelines and that the I am responsible for complying with all city a	nd
Covena damage feasance planning limitation	nts Committee n s or otherwise to e, arising out of a g, appearance an on, the structural	or their respective members, Secretary, such anyone requesting approval of an architectury action with respect to any submission. It desthetics. None of the foregoing assumest integrity, mechanical or electrical design,	cessors, assigns, agents ctural alteration by rea The Architectural Revie s any responsibility reg- methods of constructio	ciation Advisory Committee or the Association, representatives or employees shall be liable to son of mistake in judgment, negligence or not ew is directed toward review and approval of sarding design or construction, including, without, or technical suitability of materials. I here ing this request or the approval or denial there	for ite out by
Owner's	s Signature			Date	
Owners	Signature			Buic	
FOR A	RCHITECTUR	RAL CONTROL COMMITTEE USE	Approved By:	Covenants Committee Member	
Date Re	eceived			Covenants Committee Member	
Approv	ed	Not Approved Conditions _			_
Comme					_
					_