

# **DESIGN GUIDELINES**

## **DESIGN GUIDELINE 1**

### Fences

- Chain link fences or chain link dog runs are not permitted.
- Chain link fences may be considered with black aluminum fence with black chain link fence on the sides and rear only.
- The following types of fences may be approved for installation:
  1. Six-foot privacy fence: cap topped or X braced, be cedar, cypress, or #2 or better pressure treated wood.
  2. Maximum five-foot wrought iron or aluminum style fence with an approved tip style.
- The maximum span between posts shall be ten (10) feet. The minimum post size shall be 4 X 4 inches and must have two 2 X 8 inch rails or three 2 X 6 inch rails per section.
- Wrought iron or aluminum fences must be black. Wooden fences may be stained the following Sherwin Williams colors:
  1. Clear
  2. Woodridge SW 3504
  3. Riverwood SW 3507
- Generally, fences shall not be located closer to any street than 10' in front of the rear edge of the home.
- On corner lots, the fence shall not be closer to any side street than the building line of the lot.
- Crossbeam structure shall not be visible from any street and must face inside toward the yard).
- All fence posts for all fences must be set in concrete.
- Generally, fences styles will need to connect and match neighboring fences.
- Generally, fences will not exceed the sod line.
- **Fences installed by homeowners must have a minimum ground clearance. 2- 3 inches minimum. Must notate clearance on modification request.**
- Fence Examples:



Cap Top Privacy Fence



X Braced



Straight Topped Wrought iron or Aluminum Fence



Spear Topped Wrought iron or aluminum fences

## **DESIGN GUIDELINE 2**

Exterior Decorative Objects, Front Porch Flower Pots, Lighting, etc.

- A Form must be submitted for all exterior decorative objects, both natural and manmade, including, but not limited to, items such as bird baths, wagon wheels, sculptures/statuary, fountains, pools, antennas, flower pots, free-standing poles of any type, flag poles, and items attached to approved structures.
- Landscape lighting should not exceed twelve (12) inches in height
- The number of landscape lights should not exceed twelve (12)

- The total wattage of landscape lighting should not exceed 100 watts, all lights are white or clear, non-glare, and located so as to cause minimal visual impact on adjacent properties and streets.
- Front doors and front entry area decorations must be tasteful and in keeping with the style and colors of the house. Plants and flowers in pots must always be neat and healthy. Neatly maintained front porch flower-pots (maximum of four (4)) that blend with the exterior color of the house, containing evergreens/flowers do not require the submission of a Form.
- Objects will be evaluated on criteria such as location, proportion, color, and appropriateness to the surrounding environment.
- Holiday decorations and lighting may be installed in a reasonable manner for the various recognized holidays. Holiday decorations and lighting may be in use no longer than seven (7) days after the Holiday. Recognized holidays: Easter, 4<sup>th</sup> of July, Diwali, Halloween, Thanksgiving, Christmas. By January 15<sup>th</sup> of the following year, all latter holiday lights and decorations must be cleaned up and removed. If there is a holiday not listed as a recognized holiday, homeowner is to contact HOA for review and approval.

### **DESIGN GUIDELINE 3**

#### Garden Plots

- All garden plots should be located behind the rear of the house, close to the home, within the rear lines of the home.
- The size of the plot is generally limited to 150 square feet or ¼ of the rear yard, whichever is smaller.
- The maximum height of plants is less than four (4) feet at full growth. No bean poles.
- Garden plots for homes set on lots at angles and homes on corner lots will be considered on an individual basis.

### **DESIGN GUIDELINE 4**

#### Play Equipment

- Play equipment should be installed within the extended right and left sides of the house in the rear yard, not visible from the street.
- Play equipment should not exceed fifteen (15) feet in height and will have a minimum visual impact on adjacent properties.
- All play equipment, including, but not limited to, swing sets, slides, seesaws, jungle gyms, etc., exclusive of wearing surfaces (slide poles, climbing rungs, swing seats, etc.) will generally be required to blend into the surrounding environment through the use of earthen colors comparable to dark green or brown.
- Play houses must be located where they will have a minimum visual impact on adjacent properties. In most cases, material used must match existing materials of the home, and the tree house/play house may not be larger than 100 square feet.

## **DESIGN GUIDELINE 5**

### Basketball Goals

- Basketball Goal backboards should be perpendicular to the primary street on which the house is located.
- The backboard should be white, beige, light gray, or clear.
- The backboard post should be painted black.
- Basketball goals may not be attached to the house.
- Portable goals may not be maintained for periods of more than twenty-four (24) hours in the street or at the curb.
- No sandbags or weights are allowed on the base of the basketball goal. Base must be filled with water or sand to keep in place. Contact manufacturer if additional weight recommendations are needed.

## **DESIGN GUIDELINE 6**

### Private Pools

- A Form is not required to be submitted for children's portable wading pools (those that can be emptied after use) that do not exceed eighteen (18) inches in depth and whose surface area should not exceed thirty-six (36) square feet.
- Pools exceeding thirty-six (36) square feet located above the ground are not allowed.
- In-ground pools must have adequate fencing. Generally, the maximum allowable pool area is 1,000 square feet.
- Glaring light sources that have a visual impact on neighboring lots will not be permitted.
- Spas and hot tubs must be screened from adjacent properties and streets.

## **DESIGN GUIDELINE 7**

### Patios and Walkways

- A patio should not extend beyond the left and right sides of the house and should not extend to within ten (10) feet of the side property lines nor further than twenty (20) feet from the rear of the home
- A patio should not exceed six (6) inches above the ground at any point.
- A walkway should not extend beyond the left and right sides of the house and should not extend to within ten (10) feet of side property lines, and
- A walkway should not exceed four (4) inches above the ground at any point.

## **DESIGN GUIDELINE 8**

### Exterior Landscaping

- Landscaping should relate to the existing terrain and natural features of the lot, utilizing plant materials native to the Southeastern United States. The amount and character of the landscaping must conform to the precedent set in the surrounding neighborhood.
- All landscape beds must be covered with natural pine straw. Upon request, organic brown or black mulch may be considered as ground cover.
- Rocks are not permitted as landscape bed ground cover.
- The preferred landscape bed edging is a neat four to six (4" – 6") inch deep trench. Other edging, if used, shall not exceed three (3") inches above the turf height and be of a uniform type.
- Outdoor storage of garden tools and hoses must be screened from view and kept behind shrubs. Any tools or items stored under a deck or porch must also be screened from view.

## **DESIGN GUIDELINE 9**

### Decks

- Generally, the deck may not extend beyond the right and left sides of the home.
- Materials must be cedar, cypress, or #2 or better pressure treated wood.
- Decks may be stained the following Sherwin Williams colors:
  1. Clear
  2. Woodridge SW 3504
  3. Riverwood SW 3507
- Vertical supports for wood decks must be a minimum of four by six (4" X 6") inch wood posts or painted metal poles, boxed in to give the appearance of wood columns.
- Owners are advised that a building permit may be required for deck construction.

## **DESIGN GUIDELINE 10**

### Exterior Building Alterations

- Repainting of the house or trim should not require a Form if the color(s) are not changed.
- The original architectural character or theme of any home must be consistent for all components of the home. Once the character is established, whether it is traditional, contemporary, etc., no change may alter that character.
- A paint color change requires that the following information be submitted along with the Form:
  1. A paint sample or picture of the paint color used in or approved for this or another Lennar Neighborhood in the same County. The address of the home and neighborhood where the color has been approved must be identified.
  2. Area of home to be re-painted.



3. Photograph of your home and homes on either side (in most cases, adjacent homes cannot be painted the same color).
- Full glass Storm windows and doors must be made of anodized bronze or anodized aluminum with baked enamel finish compatible with the primary and trim colors of the house.

Example Full glass door:




- Plastic or metal storage sheds or other structures are not allowed.
- Wooden Sheds may be considered if the following conditions were included with the proposed request:
  1. Must be inside site lines of the home as to not be visible from the street.
  2. Must be same materials as the home and colors must match.

Wooden Shed Example:



- Garbage cans may be concealed on the side of your home using a lattice screen  
Lattice Screen Example:





## REQUEST FOR MODIFICATION REVIEW

PER ARTICLE 6.2, THIS APPROVAL MAY TAKE UP TO 14 DAYS FOR APPROVAL AFTER ALL REQUIRED INFORMATION IS RECEIVED

Name	Date
Address	Lot and Phase
City, State Zip	Phone Number
Email(s)	

Please provide the Architectural Control Committee with all information necessary to evaluate the request thoroughly and quickly. Requests must include, without limitation, the following information: site plan (including all dimensions), color chips (if applicable), detailed description of request, list of materials, pictures (if applicable), and any other information as specifically required below or as required by the Design Guidelines approved for the community. Modifications without approval from the Committee are a violation of the Covenants and may result in fine and legal action by the Association.

Description of Modification Requested

---

---

Estimated Start Date

Estimated Completion Date

---

Acknowledgment of Adjacent Homeowners (*all homeowners sharing common boundary line, or those with a direct view*) will be considered by the Architectural Control Committee but will not be binding upon the Committee. No application will be considered unless this section is completed, or the Applicant Homeowner has made a reasonable effort, in the sole discretion of the Board, to have this section completed.

Lot	Signature	In favor of <input type="checkbox"/>	Not in favor of <input type="checkbox"/>
Lot	Signature	In favor of <input type="checkbox"/>	Not in favor of <input type="checkbox"/>
Lot	Signature	In favor of <input type="checkbox"/>	Not in favor of <input type="checkbox"/>

Under each of the most common categories below, all the items listed must be submitted. Please refer to the Covenants for other necessary information required for modifications such as detached structures, outdoor play equipment, pools, etc. **Incomplete requests will be disapproved.**

### LANDSCAPING, including gardens, landscape blinds, landscape edging

- ☐ Asbuilt/HLP/Lot Plat/Survey  
\*identify location of landscaping modification
- ☐ Description: \_\_\_\_\_
- ☐ Photo(s) of the requested location(s) to be modified
- ☐ Plan denoting hardscape/plant materials, location and quantities

### EXTERIOR LIGHTING, including exterior and landscape lighting

- ☐ Description: \_\_\_\_\_
- ☐ Number of lights: \_\_\_\_\_
- ☐ Photo(s) of the requested location(s) of the lighting
- ☐ Photo of the lighting

### EXTERIOR DECORATIVE OBJECTS, including planters, statues

- ☐ Description: \_\_\_\_\_
- ☐ Photo(s) of the requested location(s) of the object(s)
- ☐ Photo of the object(s)

### FENCING, including fenced blinds

- ☐ Fencing must conform to the standards stated in the Design Guidelines
- ☐ Fence type: \_\_\_\_\_
- ☐ Height and maximum width of spans: \_\_\_\_\_
- ☐ Color/stain: \_\_\_\_\_
- ☐ Fence beams must be inside facing (*interior*), not visible to streets or lots
- ☐ Asbuilt/HLP/Lot Plat/Survey  
\*identify location of fencing and existing neighboring fencing
- ☐ Permit (if applicable)
- ☐ Materials: \_\_\_\_\_
- ☐ All nails, screws or fasteners shall be aluminum or hot-dipped galvanized
- ☐ All posts shall be anchored in concrete; ground clearance must be 2 inches

### DRIVEWAY, PATIO or WALKWAY

- ☐ Asbuilt/HLP/Lot Plat/Survey  
\*identify location of driveway/patio/walkway modification
- ☐ Photo(s) of the requested location(s) to be modified
- ☐ Materials: \_\_\_\_\_

**PLAY EQUIPMENT, including basketball goals**

- ☐ Asbuilt/HLP/Lot Plat/Survey  
*\*identify location of play equipment modification*
- ☐ Location must have minimum visual impact
- ☐ Photo example of modification, requested location
- ☐ Materials used should match existing materials of home

**DECK or PORCH, including screened porches**

- ☐ Asbuilt/HLP/Lot Plat/Survey  
*\*identify location of deck/porch modification*
- ☐ Photo of the location of the deck/porch
- ☐ Design rendering or scope of work
- ☐ Dimensions: \_\_\_\_\_
- ☐ Color must be clear or stained to match existing color scheme
- ☐ Color code: \_\_\_\_\_
- ☐ Materials must be Cedar, Cypress or No. 2 grade or better PT-wood
- ☐ Permit

**EXTERIOR BUILDING ALTERATIONS, including painting and roofing**

- ☐ Colors/Materials to be used that are different than those existing
- ☐ Paint Brand, color name(s) and color code(s)
- ☐ Photos of your home and the homes on either side and those facing  
*(in most cases adjacent/facing homes cannot be painted the same)*
- ☐ Permit *(if applicable)*

**PRIVATE SWIMMING POOL, including hot tubs**

- ☐ Asbuilt/HLP/Lot Plat/Survey  
*\*identify location of pool, pool deck and pool equipment*
- ☐ Pool type: \_\_\_\_\_
- ☐ Dimensions *(maximum size 1,000 sq ft)*: \_\_\_\_\_
- ☐ Color *(must be white or blue)*: \_\_\_\_\_
- ☐ Lighting *(if any)*: \_\_\_\_\_
- ☐ Permit
- ☐ All pool related landscaping modifications must meet requirements of the Landscaping category

**STORM DOORS and WINDOWS**

- ☐ Description and photo example of the storm door/windows including color
- ☐ Color must be compatible with existing primary and trim colors
- ☐ Photo(s) of the requested location(s) to be modified

**BUILDING ADDITIONS**

- ☐ Asbuilt/HLP/Lot Plat/Survey  
*\*identify location of building addition*
- ☐ Photo(s) of the requested location(s) to be modified
- ☐ Photo(s) from the location of the area to be modified of adjacent lots
- ☐ Scope of work from contractor
- ☐ Size, color, and detailed architectural drawing of addition
- ☐ Exterior materials used must match existing exterior materials of home
- ☐ Permit

**\*\* Submit this form and all documents to the Association Manager in one email/file \*\***

Owner Acknowledgement: I understand and agree that no work on this request shall commence until written approval of the Covenants Committee has been received by me. I represent and warrant that the requested changes strictly conform to the community Design Guidelines and that these changes shall be made in strict conformance with the Design Guidelines. I understand that I am responsible for complying with all city and county regulations.

Neither Fieldstone Realty Partners, LLC, the Association Board of Directors, the Association Advisory Committee or the Association Architectural Control Committee nor their respective members, Secretary, successors, assigns, agents, representatives or employees shall be liable for damages or otherwise to anyone requesting approval of an architectural alteration by reason of mistake in judgment, negligence or nonfeasance, arising out of any action with respect to any submission. The Architectural Review is directed toward review and approval of site planning, appearance and aesthetics. None of the foregoing assumes any responsibility regarding design or construction, including, without limitation, the structural integrity, mechanical or electrical design, methods of construction, or technical suitability of materials. I hereby release and covenant not to sue all of the foregoing from/for any claims or damages regarding this request or the approval or denial thereof.

Owner Signature \_\_\_\_\_

Date \_\_\_\_\_

**ARCHITECTURAL CONTROL COMMITTEE USE**

Date Received \_\_\_\_\_

Reviewed by \_\_\_\_\_

Approval stipulations or comments  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Approved

☐

Approval stipulations

☐

Not approved

☐